

3.9kW window/wall cooling only air conditioner with modern design, remote control, auto swing, timer, sleep mode, gold shield external & blue shield internal corrosion resistant heat exchangers and auto restart.





# **Product Details**

#### **FEATURES**

Cooling only operation Combined with dehumidification and fan only modes ensures comfort in your home 5 year comprehensive residential warranty Refer to the warranty terms and conditions in the brochure or on the product's warranty card Remote control with luminescent keypad Remote control with luminescent keypad Air swing auto/manual

24 hour timer
Program your air conditioner
to turn on and off
automatically

Sleep mode

Manual operation

Auto restart
In the event of an interruption
in power supply the unit will
restart with the same settings
that were selected prior to the
power outage

#### **BENEFITS**

Be cool in no time at all

Ever popular, window/wall models give you the comfort of reverse cycle air conditioning without the need for expensive installation. In fact, some models are so relatively easy to install you could even do it yourself. Simple, economic and reliable

Because there are no separate indoor and outdoor units, its easier to install a window wall cooling only model. And because its a Kelvinator, you know it is reliable and built to last.

#### Compact

The super compact design means that window wall cooling only air conditioners are discreet and unobtrusive in your home. They are also perfect for cooling smaller family homes and space-restricted areas.

Control from your armchair

The remote control unit lets you conveniently control all functions

#### Fresh air delivery

The fresh air return provides additional ventilation to your room and can also assist in humidity control. The easy-to-service dust filter removes dust and other larger airborne particles for cleaner air.



# **Specifications**

## PRODUCT PROFILE

Domestic warranty details (yrs)

5

## **SPECIFICATIONS**

| Capacity cool watts                    | 3900    |
|--|---------|
| Current rating amps                    | 10 amps |
| Service cord length                    | 1       |
| Colour of fascia                       | white   |
| Compressor type                        | rotary  |
| Indoor sound pressure dBA high setting | 50      |
| Indoor sound pressure dBA low setting  | 46      |
| Outdoor sound pressure dBA             | 60      |
| Indoor air circulation max (ltr/s)     | 178     |
| Ambient temperature range minimum      | 18      |
| Ambient temperature range maximum      | 46      |
| Moisture removal ltr/hour              | 1.5     |



## **SPECIFICATIONS**

| New Energy star rating cooling | 2    |
|--------------------------------|------|
| Cooling EER                    | 3.31 |
| Refrigerant weight (g)         | 550  |
| Refrigerant type               | R32  |
| Outdoor Sound Power dBA        | 70   |

## **FEATURES**

| Filtration          | dust                   |
|---------------------|------------------------|
| Remote control type | luminescent keypad,LCD |
| Timer               | 24 hour                |
| Fan speeds          | low,medium,high,Auto   |

#### **DIMENSIONS**

| Total height (mm) | 428 |
|-------------------|-----|
| Total width (mm)  | 660 |
| Total depth (mm)  | 700 |

#### PACKED DIMENSIONS

| Shipping Volume (m3)        | 0.30 |
|-----------------------------|------|
| Shipping Weight (Kg)        | 52   |
| Pack Dimensions Height (mm) | 505  |

## STUFFING QUANTITIES

| 20ft    | 84  |
|---------|-----|
| 40ft    | 184 |
| 40ft HC | 230 |



## PACKED DIMENSIONS

| Pack Dimension Width (mm) | 739 |
|---------------------------|-----|
| Pack Dimension Depth (mm) | 793 |



# **Terms and Conditions**

#### **IMPORTANT**

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

#### PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

#### WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

**ELECTROLUX HOME PRODUCTS AUSTRALIA** 

telephone: 1300 363 640 fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

**ELECTROLUX HOME PRODUCTS NEW ZEALAND** 

telephone: 09 573 2230 fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz